

Features:

- Water Proof IP64 Rating
- Easy installation, without wires
- Solar battery charging, zero charge
- The LED, the green and energy saving
- Private Street Lamp without Electricity
- High quality batteries, long life capacity
- Infrared remote controller for light operation



TECHNICAL SPECIFICATIONS

SCOPE OF APPLICATION

- Highway and roadway lighting.
- Park and Playground lighting.
- Outdoor security lighting.
- Industrial lighting and commercial lighting.

ALL MODELS	
EURO - ST - 200W	EURO - ST - 500W
EURO - ST - 250W	EURO - ST - 550W
EURO - ST - 300W	EURO - ST - 600W
EURO - ST - 400W	EURO - ST - 800W
EURO - ST - 450W	EURO - ST - 1000W

SOLAR STREET LIGHT SERIES

EURO ST - 200 W



Power: 200W Using time: 8 -10 hours Solar panel: 14V/15W polysilicon Battery: 3.2V/15000mAH LifePO4 Working mode: Daylight + remote Control+Sensor Control Size: 420mm x 210mm LED: SMD2835 360pcs Material: ABS + Solar Panel Installation Height: 3 - 4 m



EURO ST - 250 W

Power: 250W
Using time: 8 -10 hours
Solar panel: 14V/15W polysilicon
Battery: 3.2V/15000mAH LifePO4
Working mode: Daylight + remote
Control+Sensor Control
Size: 420mm x 210mm
LED: SMD2835 360pcs
Material: ABS + Solar Panel
Installation Height: 3 m



EURO ST - 300 W

Power: 300W Using time: 8 -10 hours Solar panel: 15W 6V poly Battery: 3.2V 15000mAH lithium Working mode: Daylight + remote Control+Sensor Control Size: 630mm x 245mm LED: 160 chips Material: ABS + Solar Panel Installation Height: 3 - 4 m

EURO ST - 400 W



Power: 400W
Using time: 8 -10 hours
Solar panel: 18W 6V poly
Battery: 3.2V 20000mAH lithium
Working mode: Daylight + remote
Control+Sensor Control
Size: 650mm x 250mm
LED:160chips
Material: ABS + Solar Panel
Installation Height: 3 - 4 m



EURO ST - 450 W

Power: 450W Using time: 8 - 10 hours Solar panel: 14V/15W polysilicon Battery: 3.2V/25000mAH LifePO4 Working mode: Daylight + remote Control+Sensor Control Size: 535mm x 210mm LED: SMD2835 480pcs Material: ABS + Solar Panel Installation Height: 4 - 5 m



Features:

- Water Proof IP64 Rating
- Easy installation, without wires
- Solar battery charging, zero charge
- The LED, the green and energy saving
- Private Street Lamp without Electricity
- High quality batteries, long life capacity
- Infrared remote controller for light operation



TECHNICAL SPECIFICATIONS

SCOPE OF APPLICATION

- Highway and roadway lighting.
- Park and Playground lighting.
- Outdoor security lighting.
- Industrial lighting and commercial lighting.

ALL MODELS	
EURO - ST - 200W	EURO - ST - 500W
EURO - ST - 250W	EURO - ST - 550W
EURO - ST - 300W	EURO - ST - 600W
EURO - ST - 400W	EURO - ST - 800W
EURO - ST - 450W	EURO - ST - 1000W

SOLAR STREET LIGHT SERIES

Power: 500 Using time

EURO ST -500 W

Power: 500W Using time: 8 - 10 hours Solar panel: 18W 6V poly Battery: 3.2V 20000mAH lithium Working mode: Daylight + remote Control+Sensor Control Size: 650mm x 250mm LED: 160chips Material: ABS + Solar Panel

Installation Height: 4 - 5 m



EURO ST - 550 W

Power: 550W Using time: 8 -10 hours Solar panel: 14V/15W polysilicon Battery: 3.2V/30000mAH LifePO4 Working mode: Daylight + remote Control+Sensor Control Size: 750mm x 300mm LED: SMD2835 600pcs Material: ABS + Solar Panel Installation Height: 4 - 5 m



EURO ST - 600 W

Power: 600W
Using time: 8 -10 hours
Solar panel: 16W 6V poly
Battery: 3.2V 15000mAH lithium
Working mode: Daylight + remote
Control+Sensor Control
Size: 650mm x 250mm
LED: 480 chips
Material: ABS + Solar Panel

Material: ABS + Solar Panel Installation Height: 4 - 5 m





Power: 800W
Using time: 8-10 hours
Solar panel: 25W 6V poly
Battery: 3.2V 20000mAH lithium
Working mode: Daylight + remote
Control+Sensor Control
Size: 650mm x 250mm
LED: 640 chips
Material: ABS + Solar Panel
Installation Height: 5 - 6 m



EURO ST -1000 W

Power: 1000W
Using time: 8 - 10 hours
Solar panel: 30W 6V poly
Battery: 3.2V 30000mAH lithium
Working mode: Daylight + remote
Control+Sensor Control
Size: 650mm x 250mm
LED: 640 chips
Material: ABS + Solar Panel
Installation Height: 6 - 7 m